


# Hood Peraria White

Hoods

Code: 2522 111



## DETAILS

Material	Stainless steel
Texture	Painted
Coloring	White
Energy class	A++
Hood type	Ceiling suction hood
Built-in hole	476 x 976 mm
Air exhaust hole	222 x 90 mm
Ceiling – false ceiling distance	min 184 mm / max 250 mm
Motors	Brushless

Motor power	165 W
-------------	-------

Suction speed	4 operating speeds
---------------	--------------------

Type of commands	Remote control
------------------	----------------

Operation	Suction hood (filtering mode with optional carbon filters)
-----------	--

Grease filters	2 grease filters
----------------	------------------

Notes:	Optional: Carbon filter code 9700 592
--------	--

## FEATURES


Brushless motor	State-of-the-art Brushless motors allow high air flow rates while maintaining a low energy consumption. Furthermore, they have an almost never-ending duration.
-----------------	---

Minimum overall	Foster ceiling-mount ventilation systems require little space. The icon appears next to models that require less than 20 cm between the concrete ceiling and the countertop.
-----------------	--

Perimetric aspiration	The perimetric suction is a feature common to many Foster hoods. The filters are hidden by steel- or crystal plates and the suction occurs along their perimeter. This has aesthetic advantages but also functional ones: the cleaning is easier, the suction power and noise-level are improved. The depression which occurs in the perimeter area facilitates in fact the suction of the particles composing the fumes.
-----------------------	---

Remote control	The ceiling suction systems and the Maya hoods are equipped with a remote control to easily activate all their functions from any position.
----------------	---

## TECHNICAL DATA



## GALLERY



## OPTIONAL ACCESSORIES



**White tube - rectangular section**  
9700 532



**White connector - rectangular section**  
9700 533



**White Horizontal 90° Corner connector - rectangular section**  
9700 534



**White Vertical 90° Corner connector - rectangular section**  
9700 535



**Horizontal 15° Corner connector - rectangular section**  
9700 536