



Cooker hob Power

Gas hobs

Code: 7016 032



DETAILS

| Edge/Installation Type | Standard (8 mm Edge) |
|------------------------|--------------------------|
| Finish | Foster brushed |
| Material | AISI 304 stainless steel |
| Texture | Brushed in line |
| Supply | 220-240 V; 50/60 Hz |
| Base | 90 cm |
| Dimensions | 860x500 mm |
| Heating element | Five burners |
| Built-in hole | 840 x 480 mm |
| | |



| Grids | Cast iron grids and enamelled burner covers |
|-----------------|--|
| Width | 86 cm |
| Total power | 11.700 W |
| Auxiliary | 1.400 W (reduced) |
| Semirapid | 2 x 1.750 W |
| Rapid | 2.800 W |
| Double crown | 4.000 W |
| Safety | Safety valve with quick-acting thermocouple |
| Ignition | Electric ignition under knob |
| Gas type | Tested for installation with natural gas, LPG nozzle set included. |
| Туре | Gas Hob |
| FEATURES | |
| Cast iron grids | Cast-iron is the ideal material for an hob grid, this due to the manifold properties characterising it: high heat capacity that improves cooking performance; high weight and stability that improve safety; sturdiness that preserves the hob's original aspect over time; easy cleaning. |
| Safe cooking | All Foster cooker hobs are equipped with safety valves. They shut off the gas supply very quickly if the flame accidentally goes out. |




Special burners

Many Foster hobs are equipped with special burners, with two or three rings of fire that greatly increase the power delivered and the heated surface. In the DUAL models the two fire crowns also have independent ignition, making these burners perfect for both intensive and delicate cooking.

Under-knob ignition

The utmost freedom of movement with electronic under-knob ignition, a common feature of all models that allows a one-hand ignition of the burner.

TECHNICAL DATA





GALLERY

