### Cooker hob Veronika



Gas hobs

Code: 7067 062



### DETAILS

| Edge/Installation Type | Standard (8 mm Edge)     |
|------------------------|--------------------------|
| Finish                 | Foster brushed           |
| Material               | AISI 304 stainless steel |
| Texture                | Brushed in line          |
| Supply                 | 220-240 V; 50/60 Hz      |
| Dimensions             | 760x500 mm               |
| Base size              | 60 cm                    |
| Heating element        | Five burners             |
| Built-in hole          | 560 x 480 mm             |

| Grids           | Cast iron grids and enamelled burner covers  |
|-----------------|--|
| Width           | 76 cm  |
| Total power     | 10.700 W   |
| Auxiliary       | 1.000 W  |
| Semirapid       | 2 x 1.750 W  |
| Rapid           | 2.700 W  |
| Triple crown    | 3.500 W  |
| Safety          | Safety valve with quick-acting thermocouple  |
| Ignition        | Electric ignition under knob   |
| Gas type        | Tested for installation with natural gas, LPG nozzle set included.   |
| Туре            | Gas Hob  |
| FEATURES        |  |
| Cast iron grids | Cast-iron is the ideal material for an hob grid, this due to the manifold properties characterising<br>it: high heat capacity that improves cooking performance; high weight and stability that<br>improve safety; sturdiness that preserves the hob's original aspect over time; easy cleaning. |


Safe cooking

All Foster cooker hobs are equipped with safety valves. They shut off the gas supply very quickly if the flame accidentally goes out.

| Special burners     | Many Foster hobs are equipped with special burners, with two or three rings of fire that greatly increase the power delivered and the heated surface. In the DUAL models the two fire crowns also have independent ignition, making these burners perfect for both intensive and delicate cooking. |
|---------------------|--|
| Under-knob ignition | The utmost freedom of movement with electronic under-knob ignition, a common feature of all models that allows a one-hand ignition of the burner.  |
| Narrow cut-out      | These 5 burners products for standard built-in installation require a cut-out of only 56 cm, i.e.<br>less than their nominal width. This makes them an interesting alternative for 60 cm models,<br>which usually require the same cut-out.  |

#### **TECHNICAL DATA**





### **OPTIONAL ACCESSORIES**



Cast iron wok support 9601 727