



Cooker hob KS

Gas hobs

Code: 7615 032



DETAILS

Edge/Installation Type

Euge/mstallation Type	Standard (Chim Edge)
Finish	Foster brushed
Material	AISI 304 stainless steel
Texture	Brushed in line
Supply	220-240 V; 50/60 Hz
Dimensions	590 x 500 mm
Base size	60 cm
Heating element	Four burners
Built-in hole	560 x 480 mm

Standard (8 mm Edge)



Grids	Cast iron grids and enamelled burner covers
Width	59 cm
Total power	7.600 W
Auxiliary	1.100 W
Semirapid	2 x 1.750 W
Rapid	3.000 W
Safety	Safety valve with quick-acting thermocouple
Ignition	Electric ignition under knob
Gas type	Tested for installation with natural gas, LPG nozzle set included.
Туре	Gas Hob
FEATURES	
Cast iron grids	Cast-iron is the ideal material for an hob grid, this due to the manifold properties characterising it: high heat capacity that improves cooking performance; high weight and stability that improve safety; sturdiness that preserves the hob's original aspect over time; easy cleaning.
III^ series burners	III ^ series burners: 20% gas savings. They guarantee an efficiency well above the European standards. Furthermore, the improved combustion of gas allows the development of higher powers. From the point of view of safety, the blocking system between the cover and the flame-spreader guarantees perfect positioning and greater ease of cleaning.



Inclined recess	A deep and inclined recess houses the burners and grigs, allowing to create a single work surface. The inclination also makes it extremely easy to clean the edges.
Safe cooking	All Foster cooker hobs are equipped with safety valves. They shut off the gas supply very quickly if the flame accidentally goes out.
Under-knob ignition	The utmost freedom of movement with electronic under-knob ignition, a common feature of all models that allows a one-hand ignition of the burner.



TECHNICAL DATA

